			m ha
	Application No.	Applicant(s)	
	09/743,436	INOUE ET AL.	!
Notice of Allowability	Examiner	Art Unit	
	Alex P. Rada	3714	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to <u>July 27, 2005</u> .			
2. The allowed claim(s) is/are 30-52.			
<ul> <li>3.</li></ul>			
2. Certified copies of the priority documents have been received in Application No			
3.  Copies of the certified copies of the priority documents have been received in this national stage application from the			
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.			
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached			
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
·			
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. ☐ Notice of Informal P	atent Application (PT	O-152)
Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	(PTO-413),	<b></b> ,
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Dat 08), 7. ☐ Examiner's Amendn	.e nent/Comment	
Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit	8. 🛛 Examiner's Stateme	ent of Reasons for Allo	owance
of Biological Material	9.		
•			

### **DETAILED ACTION**

# Response to Amendment

In response to the Request for Continued Examination (RCE) filed July 27, 2005 in which the applicant previously canceled claims 1-29, amends claims 30 and 51, and claims 30-52 are pending in this application.

### **EXAMINER'S AMENDMENT**

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312.
 To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Thomas Presson Reg. No. 41,442 on September 29, 2005.

The application has been amended as follows:

Pleas add to claim 39, line 2 --(charged coupled device)-- between the words CCD and device.

## Reasons for Allowance

2. The following is an examiner's statement of reasons for allowance: Applicant's have amended the claims to be patentably distinct over the prior art. The prior art does not disclose nor teaches according claims 30 and 51 a control unit, coupled to the condition unit, adapted to generate control signals as a function of the condition signals and provide the control signals to the emitting

unit to control operation of the emitting unit, wherein the control signals are a function of a strength of a desire. The prior art Kamiya only discloses a pseudo-emotion of the object for deciding output of the object, in relation to the user's state and formulating emotion generation algorithms to establish the relationship between the user's state and pseudo-emotion. The behavior decision algorithms are formulated to establish the relationship between input, including the pseudo-emotions, and the behavior of the object. The user's state is detected and a pseudo-emotion of the object is generated based on the user's state using the emotion generation algorithms. Kamiya does not disclose the generating of control signals as a function of the condition signals and provide the control signals to the emitting unit to control operation of the emitting unit wherein the control signal are a function of a strength of desire.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

#### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alex P. Rada whose telephone number is 571-272-4452. The examiner can normally be reached on Monday - Friday, 08:00-16:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's acting supervisor, Chanda Harris can be reached on 571-272-4448. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 09/743,436

Art Unit: 3714

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system,

contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Apr

CHANDA L. HARRIS
PRIMARY EXAMINER